OR BUS 12/5/12

U.S. DEPARTMENT OF HOMELAND SECURITY

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Replaces all previous editions

Federal Emergency Management Agency

National Flood Insurance Program

FEMA Form 81-31, Mar 09

Important: Read the instructions on pages 1-9

		3		TION A DDG		1 0		
A1 P	Building Owner's Name	MALIDICE D		CHAMORRO	Carlotte Committee of the Committee of t	BEZELIA ZUZZA ZONA DA ZONA DE LA	HON	For Insurance Company Use: Policy Number
	Building Street Address	Larell MOD)	WHEN SHOW	PERMIT	HU NOTH		VE SURVEYO	
521 S	OUTH MASHTA DRIN	/E		blug. No.) of P.	o. Route and	BOX NO.	A PART OF THE STATE OF THE STAT	Company NAIC Number
C	City KEY BISCAYNE	State FL ZIF	P Code 33149					
	roperty Description (L 2, BLOCK 4, REPLAT					tc.)	oned India) et d oned Ocione, ec	AND CONTRACTOR OF THE STATE OF
A5. L: A6. A A7. B	Building Use (e.g., Res atitude/Longitude: Lat attach at least 2 photog Building Diagram Numl	. <u>25D41'00.99"N</u> graphs of the bui per <u>1 B</u>	Long. 80D10'20.2 Iding if the Certificat	4'W		-		: ☐ NAD 1927 ⊠ NAD 1983
a) b)	or a building with a cr. ) Square footage of o ) No. of permanent fl enclosure(s) within ) Total net area of flo ) Engineered flood o	crawlspace or en ood openings in 1.0 foot above a ood openings in A	closure(s) the crawlspace or djacent grade	<ul> <li><u>0</u> sq ft</li> <li><u>0</u> sq in</li> </ul>	A9.	<ul><li>a) Squa</li><li>b) No. o</li><li>within</li><li>c) Total</li></ul>	1.0 foot above a	ched garage 390 sq ft d openings in the attached garage djacent grade 5 openings in A9.b 480 sq in
1,1191	i soden a	SEC1	ION B - FLOOD	INSURANCE	RATE MAR	(FIRM)	INFORMATION	N to we do a mage to a make the
	FIP Community Name BISCAYNE 120648	& Community N	umber	B2. County Na MIAMI-DADE	me	1991		B3. State FL
	Map/Panel Number 12086C 0491	B5. Suffix	B6. FIRM Index Date 09/11/09	Effectiv	FIRM Panel re/Revised Da 09/11/09	ate	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zo AO, use base flood depth) + 10.00 N.G.V.D.
C1. Bu *A C2. Ele	ilding elevations are because Elevation Certifications – Zones A1-Allow according to the best elevation to the best elevation to the best elevations in the best elevations.	SECTION ased on: ate will be require 30, AE, AH, A (v	vith BFE), VE, V1-V	awings* on of the buildin /30, V (with BFE	☐ Building g is complete	ION (SU g Under C e. AR/AE, A	Construction*	RED)  Similar Finished Construction  H, AR/AO. Complete Items C2.a-h
	nchmark Utilized #MI		•		datum as th	e BFE.		
	nversion/Comments 1	- A September 1	gronian Batam <u>14.</u>	O.V.D. 1020				
	a A andress	santod niko some una Bilbarnen in				Ch	eck the measurer	ment used.
a)	Top of bottom floor		nent, crawlspace, or	enclosure floor			meters (Puer	
p)	Top of the next high Bottom of the lowes		atural member 0/7	nee enly)	10.02 N/A		☐ meters (Puer ☐ meters (Puer	
c) d)	Attached garage (to		Lurai member (v 20	ones only)	6.51		meters (Puer	
e)	Lowest elevation of (Describe type of ed	machinery or eq			10.05		meters (Puer	
f)	Lowest adjacent (fir				<u>5.4</u>		meters (Puer	to Rico only)
g)	Highest adjacent (fi				<u>5.5</u>		meters (Puer	
h)	Lowest adjacent gra structural support	ade at lowest ele	vation of deck or sta	airs, including	<u>N/A</u>		meters (Puer	to Rico only)
101	cadaaa oupport	SECTIO	N D - SURVEYO	R, ENGINEE	R, OR ARC	HITECT	CERTIFICATIO	ON O
inform unders Ch	ertification is to be sig ation. <i>I certify that the</i> stand that any false st neck here if comments	e information on atement may be s are provided or	this Certificate repre punishable by fine	esents my best or or imprisonment	efforts to inte t under 18 U. and longitude surveyor?	rpret the of S. Code, in Section Yes	data available.I Section 1001.⊠ on A provided by a i □ No	15M#43
	er's Name RENE AIG				License Nu			HERE
AND A	ROFESSIONAL LAN ASSOCIATES, INC. SS 5701 SW 107 AVI	/		Со	mpany Name		REZ, AIGUESVIVE	
Signat	rvey@aol.com	,	City MIAMI Date	11/30/12	Telephone			1/1/30/17
	X	7						11/0/10

See reverse side for continuation.

Building Street Acdress (including Apt, Unit, Stute, and/or Bidg No.) or P.O. Route and Box No.    Policy Number	IMPORTANT: In these spaces	conv the corresponding inform	ation from Soction	2 ^	For Incurence Comment II
City KEY BISCAYNE State F.L. 217 Code 33149  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  SECTION B - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official, (2) issurance apenticompany, and (3) building owner.  Comments C238 REFERS 10 ATTACHER (SEPARATE STRUCTUMES ) STORAGE EIGHE LEVATION = 4.34 FEET (N.G.V.D.)  C2 of MACHINERY VELEVATION EFEERS TO SENERATE STRUCTUMES (STORAGE EIGHE LEVATION = 4.34 FEET (N.G.V.D.)  LATTUPE C.ONGRIDUES OF SURVEYOR (A.G.V.D.) (SEOWN OF ROAD ELEVATION = 4.34 FEET (N.G.V.D.)  LATTUPE C.ONGRIDUES OF SURVEYOR (A.G.V.D.) (SEOWN OF ROAD ELEVATION = 4.46 FT (N.G.V.D.)  SIgnature  SECTION E _ BUILDING ELEVATION INFORMATION (SURVEY NOT RECUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE).  For Zones AO and A (without BFE), complete livers E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1-E4, usen directly and for a surveyor of the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent of the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent or all of the propriate passes and the section of the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent or all of the propriate passes and the section of the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent or all of the propriate passes and the propriate boxes or show whether the elevation is above or below the highest adjacent or all of the propriate passes and the propriate boxes or below the highest adjacent or all of the disparate placents and the propriate boxes or all of the disparation in disparation of the belowing the section of the section of the section of the below th				1 A.	For Insurance Company Use:
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments C2-37 REFERS-TQ ATTACHED (SEPARATE STRUCTURE) STORAGE SHED, LELEVATION = 6.75 FT (N.G.V.D.)  NEXT HUGHER PLODE LELEVATION > 4.04 FT (N.G.V.D.)  COMMENT AND CARRY OF THE PLOTAGE SHED, LELEVATION = 6.75 FT (N.G.V.D.)  ENCHADRE (SEP. B.M.1-4 (Maint-Bade), ELEVATION = 0.35 FEET (N.G.V.D.)  ENCHADRE (SEP. B.M.1-4 (Maint-Bade), ELEVATION = 0.35 FEET (N.G.V.D.)  ENCHADRE (SEP. B.M.1-4 (Maint-Bade), ELEVATION = 0.35 FEET (N.G.V.D.)  ENCHADRE (SEP. B.M.1-4 (Maint-Bade), ELEVATION = 0.35 FEET (N.G.V.D.)  Signature  SECTION E BUILDING ELEVATION = 3.04 FEET (N.G.V.D.) / TOP OF ROOF RIDGE ELEVATION = 4.46 FT (N.G.V.D.)  Signature  SECTION E BUILDING ELEVATION = 3.04 FEET (N.G.V.D.) / TOP OF ROOF RIDGE ELEVATION = 4.46 FT (N.G.V.D.)  Signature  SECTION E BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT SEP).  For Zones AO and A (viction BFE), complete loren ELES, if the Certificate is intended to support a LOMA or LOWER. Frequest, complete Sections A, B, and C, For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode, statistical concernment and C. For Imms El-44, use defined grode grode, statistical concernment and C. For Imms El-44, use defined groot grode, statistical concernment and C. For Imms El-44, use defined groot g	521 SOUTH MASHTA DRIVE 10	-14627	2. Route and Box 140.	asm dl	1 olicy Number
Copy both sides of this Elevation Certificate for (1) community official. (2) insurance agent/company, and (3) building owner.  Comments C2:sit REFERS-10 ATTACHED (SEPARATE STUCTURE) STORAGE SHED, ELEVATION = 6.75 FT (N.G.V.D.) C2 MACHINESPE LEVATION OF 120 8 FT (N.G.V.D.) C2 MACHINESPE LEVATION OF 120 8 FT (N.G.V.D.) C3 MACHINESPE LEVATION OF 120 8 FT (N.G.V.D.) ENCHADRA (SEC). 8ML-14 (Missian-Dade), ELEVATION = 3.95 FET (N.G.V.D.) ENCHADRA (SEC). 8ML-14 (Missian-Dade), ELEVATION = 3.95 FET (N.G.V.D.)  Signature  SECTION E_BUILDING ELEVATION STORAGE ACTS MAGET (N.G.V.D.) TOP OF ROOF RIDGE ELEVATION = 44.66 FT (N.G.V.D.)  Signature  SECTION E_BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT DEFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C; For Items E1-E4, use radiural grade, if available. Check the measurement used. In Purioto Rico only, enter meters.  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C; For Items E1-E4, use radiural grade, if available. Check the measurement used. In Purioto Rico only, enter meters.  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C; For Items E1-E4, use radiural grade, if available. Check the measurement used. In Purioto Rico only, enter meters.  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and E (Text Images). In the Items E1-E5. The Certificate Complete (Low Low Low Low Low Low Low Low Low Low	City KEY BISCAYNE State FL Z	IP Code 33149			Company NAIC Number
Comments   C29  REFERS-10 ATT ACHED (SEPARATE STRUCTURE) STORAGE SHED, ELEVATION = 6,75 FT (N.G.V.D.)	SECTION	ON D - SURVEYOR, ENGINEER, O	OR ARCHITECT CE	RTIFICATION (CON	TINUED)
NEXT HIGHER FLOOR ELEVATION = 20.48 FT (N.G.V.D.) / CROWN OF ROAD ELEVATION = 4.34 FEET (N.G.V.D.) C2.0 MACHINESP* LEVATION NETSERS TO GENERATOR PAD. Avc UNITY ON ROOF.  BENDINGSPKOSED. MINI-14 (Migrati-Badio), ELEVATION = 3.83 FEET (N.G.V.D.) THIRD FLOOR ELEVATION = 3.04 FEET (N.G.V.D.) THIRD FLOOR ELEVATION = 3.04 FEET (N.G.V.D.) THIRD FLOOR ELEVATION = 3.04 FEET (N.G.V.D.)  Signature  Date 11/30/12	Copy both sides of this Elevation Ce	ertificate for (1) community official, (2) ir	surance agent/compa	ny, and (3) building own	er.
SECTION E_BÜLLDING ELEXATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE).  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use afficially grade, if advantaglance, if available. Check the measurement used. In Puerfor Rico only, enter meters.  E1. Provide devation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG), a) Top of bottom floor (including basement, crawlspace, or enclosure) is   feet	NEXT HIGHER FLOOF C2.e) MACHINERY EL BENCHMARK USED: # LATITUDE/LONGITUD THIRD/FLOOR ELEVA	R ELEVATION = 20.48 FT (N.G.V.D.) / ( EVATION REFERS TO GENERATOR #MI-14 (Miami-Dade), ELEVATION = 3. E OBTAINED USING A GPS MAGELL	CROWN OF ROAD EL PAD; A/C UNIT ON RO 93 FEET (N.G.V.D.) AN MAESTRO 4210. DF ROOF RIDGE ELE	.EVATION = 4.34 FEET DOF.	(N.G.V.D.) G.V.D.)
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).  3. Top of bottom floor (including basement, crawispace, or enclosure) is feet   meters   above or   below the HAG.  5. For Bulliding Diagrams S-9 with permanent flood openings provided in Section A Items 8 and/or (9 (see pages 8-9 of Instructions), the next higher floor (celevation C2 b in the diagrams) of the building is feet   meters   above or   below the HAG.  5. Attached garage (top of slab) is feet   meters   above or   below the HAG.  5. Attached garage (top of slab) is feet   meters   above or   below the HAG.  5. Attached garage (top of slab) is feet   meters   above or   below the HAG.  5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes   No   Unknown. The local official must certify this information in Section G.  5. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for zone A (without a FEMA-issued or community-issued BFE or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  6. Property Owner's or Owner's Authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E)  7. The following information in Section C was taken from other documentation that has been signed and sealed by a liconary lawyor, engineer, or architect with a sufficient by law to certifica	SECTION E - BUILDING EL	EVATION INFORMATION (SURV	EY NOT REQUIRE	D) FOR ZONE AO AN	
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner's or Owner's Authorized Representative's Name  Address  City  State  ZIP Code  Signature  Date  Telephone  Comments  SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E)  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  77. This permit has been issued for:   New Construction   Substantial Improvement    88. Elevation of as-built lowest floor (Including basement) of the building:   Get   meters (PR) Datum    99. BFE or (in Zone AO) depth of flooding at the building site:   Get   meters (PR) Datum    99. BFE or (in Zone AO) depth of flooding at the building site:   Get   meters (PR) Datum    100. Community's design flood elevation    101. Community Amne   Title    Community Amne   Telephone    Signature   Date	E1. Provide elevation information grade (HAG) and the lowest a a) Top of bottom floor (including b) Top of Battom C2.b in the diagrams attached garage (top of slab) E4. Top of platform of machinery at E5. Zone AO only: If no flood dep	al grade, if available. Check the measu for the following and check the appropridigacent grade (LAG).  Ing basement, crawlspace, or enclosure, ing basement, crawlspace, or enclosure, h permanent flood openings provided in its in the building is infect in meter and/or equipment servicing the building its number is available, is the top of the	rement used. In Puerliate boxes to show who is [] bottom floor elevated	to Rico only, enter meters therether the elevation is ab feet meters feet meters did feet meters feet below the HAG.  The feet meters feet feet feet feet feet feet feet fee	bove or below the highest adjacent bove or below the HAG. bove or below the LAG. Instructions), the next higher floor HAG.
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner's or Owner's Authorized Representative's Name  Address City State ZIP Code  Signature Date Telephone  Comments  SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect with is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued  37. This permit has been issued for: New Construction Substantial Improvement  38. Elevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum  39. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  30. Community's design flood elevation  Title  Community Name Telephone					CATION
Signature  Date  Telephone    Check here if attachm	Property Owner's or Owner's Author	atements in Sections A, B, and E are co	rect to the best of my	Zone A (without a FEM/ knowledge.	A-issued or community-issued BFE)
Check here if attachm   SECTION G - COMMUNITY INFORMATION (OPTIONAL)   The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.   The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect will is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)   A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.   The following information (Items G4-G9) is provided for community floodplain management purposes.   G4. Permit Number	Address		City	State	ZIP Code
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect wis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:  New Construction  Substantial Improvement  B8. Elevation of as-built lowest floor (including basement) of the building:  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:  New Construction  Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building:  G7. This permit has been issued for:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the building:  G8. Elevation of as-built lowest floor (including basement) of the	Signature		Date	Telephone	
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect wis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: Heet Meters (PR) Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: Heet Meters (PR) Datum  G10. Community's design flood elevation  Title  Community Name  Telephone  Signature  Date	Comments				
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect wis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: Heet Meters (PR) Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: Heet Meters (PR) Datum  G10. Community's design flood elevation  Title  Community Name  Telephone  Signature  Date	4.2 - 30/24	7177	3-410-6-02		
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E) and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect will is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:  New Construction  Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building:  G9. BFE or (in Zone AO) depth of flooding at the building site:  G9. BFE or (in Zone AO) depth of flooding at the building site:  G9. Date Certificate Of Compliance/Occupancy Issued  Title  Community's design flood elevation  Title  Community Name  Telephone  Signature  Date			1 30-13 - of 621	m tjerske e i mogra	Check here if attachment
The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect wi is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:  New Construction  Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building:  G9. BFE or (in Zone AO) depth of flooding at the building site:  G9. Determit Management purposes.  G9. Date Permit Management purposes.  G9. Date Certificate Of Compliance/Occupancy Issued  G9. Date Certificate Of Compliance/Occupancy  G9. Date Certificate Of Compli					
36. Date Certificate Of Compliance/Occupancy issued  37. This permit has been issued for: New Construction Substantial Improvement  38. Elevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum  39. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  310. Community's design flood elevation feet meters (PR) Datum  311. Community Name  Title  Community Name  Telephone  Signature  Date	61. The information in Section Cois authorized by law to certife.  62. A community official comple	omplete the applicable item(s) and sign library was taken from other documentation to be seen in the second of the second section E for a building located in Z	below. Check the mea hat has been signed a ource and date of the e one A (without a FEM)	asurement used in Items and sealed by a licensed elevation data in the Cor A-issued or community-	G8 and G9. surveyor, engineer, or architect who nments area below.)
Sea. Elevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum  Sea. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  Sea. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  Sea. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  Sea. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum  Title  Community Name	G4. Permit Number	G5. Date Permit Issued	G6. Da	te Certificate Of Complia	ance/Occupancy Issued
Community Name Telephone Signature Date	<ul><li>G8. Elevation of as-built lowest floor (</li><li>G9. BFE or (in Zone AO) depth of floo</li><li>G10. Community's design flood elevation</li></ul>	(including basement) of the building: oding at the building site:		meters (PR) Datum	
Signature Date			are worth to the code	1.00 Dec. 1	
Date		r i en F. Lager	Telephone		
Comments	Signature		Date	E)	
	Comments			500	

Check here if attachments

## Building Photographs See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 521 SOUTH MASHTA DRIVE 10-14627	Policy Number
City KEY BISCAYNE State FL ZIP Code 33149	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page,

#### FRONT VIEW 11/30/12



REAR VIEW 11/30/12



# Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 521 SOUTH MASHTA DRIVE 10-14627	Policy Number
City KEY BISCAYNE State FL ZIP Code 33149	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

#### LEFT SIDE VIEW 11/30/12





